

NMS Release 1-1218

Release Date

2012-10-5

Highlight

- Reseller Scope added
- Dialed Number now searchable in admin UI
- Oauth Maintenance page in admin UI
- Support for Answer confirmation from a hunt group
- Added "AvailableDID" responder application
-
- New Portal (/portal)
 - User Portal
 - Home page summarizing calls, vmail, answering rules, and devices
 - Voicemail page allowing management and playback of vmail
 - Answering rules to allow call flow control
 - Time frames allowing user to customize specific timeframes
 - Music on Hold allowing user to upload and manage their own MOH
 - Call History allowing a per user view at call history
 - Reseller Portal
 - Home page summarizing calls and stats for the reseller and domains
 - domains page listing domains and allowing access to Office Manager view
 - Call history page showing call history for all reseller's domains
 - Inventory allowing DID management for the domain
 - Office manager
 - Added capacity management to User,AA, conferences, and Call queues.
 - new Home page showing overview and stats for the domain

Resolved Issues

Issue #	Issue Type	Descriptions
NS005344	Defect	System status page has a couple bugs
NS006171	Feature	Hunt Group Entry option as Subscriber
NS006301	Defect	Call monitoring only sends 1 call, doesn't hang up right
NS006328	Feature	UI config setting to 'force' the case of a domain on creation
NS006372	Defect	Broken HTML - creating domain
NS006405	Feature	Make "DIALED NUMBER" in call history searchable
NS006408	Defect	When creating a domain there is some HTML tagging that is visible
NS006421	Defect	Call screening feature - call drops if a second call comes in
NS006446	Defect	Modify Domain broken for Reseller login? or not meant to be there?
NS006456	Feature	Create OAuth Key in OMP or NMS
NS006578	Defect	Dial Translation - can't see search results on second page
NS006590	Defect	Add Domain in Admin UI requires a Description, but does not give error message if it is omitted
NS006666	Defect	Direct numbers do not appear in conference edit window
NS006705	Defect	Recording audio legs out of sync
NS006829	Defect	Unable to delete Connection on (N-Share) SAS
NS006861	Defect	Scope for new user in admin UI defaults to "office manager"
NS006898	Defect	Language not assigned if UI_SHOW_LANGUAGE_CHOICE is no
NS006920	Defect	UI config hangs on add
NS006931	Defect	NMS has wrong count for new messages

Compatibilities

Modules	Compatible Versions
NMS	1-1218
Responder	1-1218

NCS	1-1218
NMS UI	1-1218
NFR	1-1217
Enotify	1-1206b
NAS	1-121?
LICF	1-1214
NDP	1217.*.*
NupX	1209.*.*
netsapiens-api	1218.*.*
netsapiens-portal	1218.*.*
netsapiens-sbus	1215.*.*
netsapiens-tacserver	1215.*.*
netsapiens-agent	1213.*.*

*red means no new version with code

Database Changes

Table	Fields	Descriptions
`SiPbxDomain`.`huntgroup_entry_config`	`confirm_required`	A boolean to select whether the Answer Confirmation is Required for the Hunt Group Entry
`SiPbxDomain`.`domains_config`	`max_call_queue`,`max_aa`,`max_conference`,`max_department`,`max_user`,`max_device`	For UI Resource Management
`SiPbxDomain`.`ui_config`	`config_name`	Resized to varchar(63)
`NsApi`.`oauth_stats`		New table used by API to calculate access rates

Changes

NCS CPP Code

Issue #	Descriptions
	(1-1218x1) Recoded the Media Element with boost pointer and re-structured the mutex lock arrangement
	(1-1218x2) Changed default value for "PerConfSipAuthKey" from "no" to "yes"
	(1-1218x2) Added system parameter "IfName" to force the network interface name (default is eth0)
	(1-1218x3) Correct the ANI Duplicate detection logic to use the NOT INACTIVE vs ACTIVE criteria to correct the race condition when multiple participant with the same ANI attempts to enter the conference at about the same time.

NMS CPP Code

Issue #	Descriptions
	(1-1218x1) Recoded the Media Element with boost pointer and re-structured the mutex lock arrangement
	(1-1218x1) Correct setting of Orig Address (to ring the intended recording phone) when processing SBUS <call_controls> command for "call_to_record"
	(1-1218x2) Added support for SBUS "domain_events" to create/update/delete
NS006171	(1-1218x2) Added "Subscriber" option (i.e. <user>@<host>) to Hunt Group entry specification

	(1-1218x3) ACR show all legs during S-Ringing
NS006301	(1-1218x4) Utilize 2 distinct Request ID in when spawn 2 listening session to ensure 2 distinct SIP call ID for each session
NS006421	(1-1218x5) Correct Session Key mixed up when signaling backward event during Call Screening
	(1-1218x6) Correct support for S-Ring with Prompt Retrieve for a subset or all S-Ring Destination, including combination with Remote Call or Call Screening.
	(1-1218x6) Added option to require answer confirmation for individual Hunt Group Entry configured for S-Ring
	(1-1218x7) Added support Answer Confirmation for Hunt Group not configured for S-Ring
	(1-1218x7) Added `max_call_queue`, `max_aa`, `max_conference`, `max_department`, `max_user`, `max_device` to `SiPbxDomain`. `domains_config`
	(1-1218x8) Added option for "forward_call" Responder to explicitly specify the <user> of the Dial Plan Owner, while the <domain> was derived from prior translation result (To Support the new "AvailableDID" Responder Application)
	(1-1218x9) Cleanup the Release Reason for Call Screening event to Drop the call
	(1-1218x10) Dial Plan SBUS event handler leave un-explicitly specified values untouched
	(1-1218x11) Correct update to Domain, Dial Policy and Device from SBUS event to preserve value of un-explicitly specified parameters
	(1-1218x12) Correct Registration Update logic from causing a avalanche, when fed back with an event with old Registration Time
	(1-1218x13) Correct missed flushing of monitoring tap upon aborted Audio Monitoring session
NS006705	(1-1218x14) Added System Parameter <CastNtpNano> to cast the NTP timestamp to be nano second
	(1-1218x16) Added the option to Test and Auto correct the NTP Timer resolution with system parameter "TestNtpTimer" and "AutoNtpNano" (both default to "yes")
NS006829	(1-1218x17) Correct handling of NMS to NMS SBUS message for deleting connection
	(1-1218x18) Added S-Ring option to have <OwnDevices> in addition to other number
	(1-1218x19) Removed "owner" and "owner_domain" from subscriber's Time Frame Selection. When searching for time range specification for a given Time Frame Name, look for entries owned by the Subscriber's 1st, and then entries owned by the Subscriber's Domain.
NS006931	(1-1218x20) Correct missing function call to count New/Old Vmail when announcing the vmail count
	(1-1218x20) Correct handling of "*" Time Frame Selection, without the need of any corresponding Time Range Entries
	(1-1218b) Added missing error handling against malformed SDP that caused crashes
NS006978	(1-1218b) Added a background scan to delete Call Queue Entry that has no corresponding active session
	(1-1218b) Correct Queue Arrival Time from iterations of dispatch/no-answer
NS007707	(1-1218b) Flush any existing S-Ring list before forming new S-Ring list, to prevent S-Ring from Blind Xfer appended by prior S-Ring List
NS007187	(1-1218c) Correct insertion of Spawned Session from Dynamic Call Park to avoid being purged by Call Queue cleanup function

UI Code

Issue #	Descriptions
NS006372	(1-1218x1) Correct Status display for Domain creation
	(1-1218x2) Leave config field untouched when setting Hunt Group Action via SBUS
NS006408	(1-1218x3) Replaced all nl2br by ns_nl
NS006446	(1-1218x4) Disable link to Modify Domain Entry if !\$UI_MODIFY_PROVISION
	(1-1218x6) Added option to require answer confirmation for individual Hunt Group Entry
NS006405	(1-1218x7) Added DNIS filter to Call History
	(1-1218x7) Added `max_call_queue`, `max_aa`, `max_conference`, `max_department`, `max_user`, `max_device` to `SiPbxDomain`. `domains_config`
NS006590	(1-1218x8) Correct Domain Page data structure to highlight fields that failed validation
NS006578	(1-1218x9) Auto adjust table offset to be less then available row when filtering reduce the available rows to be less then offset
NS006328	(1-1218x9) Added FORCE_DOMAIN_NAME_LOWERCASE (with default to "no") option to UI Config
	(1-1218x10) Added domain criteria to Dial Plan rule counting function
	(1-1218x10) Provide default name for Dial Plan and Dial Policy when creating Domain
	(1-1218x11) Added UI_SHOW_NFR option to show NFR Upload, Restart and Statistics
	(1-1218x12) Correct logic reference NCS's "PerConfSipAuthKey" parameter when updating Registrar Record upon creating/updating Conference Room
	(1-1218x12) Apply NCS's "ConfSipRegExpires" parameter (default to 30) to Registrar Record's expires upon creating Conference Room

	(1-1218x12) Added NFR Statistics for success vs failed actions
	(1-1218x13) Added SCOPE_ALLOW_RESELLER, SCOPE_ALLOW_CC_AGENT and SCOPE_ALLOW_CC_SUPERVISOR to configure the options to select scope for "Reseller", "Call Center Agent" or "Call Center Supervisor" (All default to "no")
	(1-1218x14) Remove extra fields in Domain update from
	(1-1218x15) Fix abandoned call count when using sim ring functionality
	(1-1218x15) Remove link to mobile access page from older User portal
NS006550	(1-1218x15) Hide language selection in admin account page, unless enabled with UI_SHOW_LANGUAGE_CHOICE
NS006456	(1-1218x15) Added OAuth Client maintenance page (make available via UI Config option UI_SHOW_OAUTH_CLIENTS)
NS006759	(1-1218x16) Corrected issue with deleting existing CDR formats in the CDR export configuration.
	(1-1218x16) Correct SQL when selecting Routing option among Fixed, vs Least Cost
	(1-1218x16) Make existing configured Max Time, Max Wait and Queue Limit available in the pull down when editing a queue
	(1-1218x16) Make existing configured Data Limit, Call Limit, Dial Plan, Policy and Scope available in the pull down when editing a subscriber entry
	(1-1218x16) Added filter for "action" to Audit Log page
NS006861	(1-1218x17) Set default scope for new user as "Basic User"
NS006666	(1-1218x17) Added to Upgrade to 1218 the function to resized `config_name` to 63 in `SiPbxDomain`.`ui_config`
NS006837	(1-1218x18) correct download report link from agent stats in domain level login
	(1-1218x18) Added queue's description in the call queue stat page, configurable via UI_SHOW_QUEUE_DESCRIPTION
	(1-1218x18) Show Oauth Client and Token access rates
	(1-1218x19) Correct logic to preserve the cached client secret when commanding a sequence of oauth token "revoke"
	(1-1218x19) Make OAuth Client and Token table's Rate and Last Access sortable
NS006898	(1-1218x19) Set Language to "en_US" if UI_SHOW_LANGUAGE_CHOICE is no
	(1-1218x19) When adding new Hunt Group Entry set default for 'confirm_required' to no
	(1-1218x20) Correct OAuth Token Rate (which was erroneously displaying Client Rate)
NS006920	(1-1218x20) Added highlight to validation error for UI Config "Role" and "Parameter"
NS005344	(1-1218x20) Removed column sorting at System Status Table
	(1-1218b) Create Database if Not Exist
	Added System Update To 1-1218 <ul style="list-style-type: none"> • Add `confirm_required` to `SiPbxDomain`.`huntgroup_entry_config` • Add `max_call_queue`, `max_aa`, `max_conference`, `max_department`, `max_user`, `max_device` to `SiPbxDomain`.`domains_config` • Resized `config_name` to 63 in `SiPbxDomain`.`ui_config` • Created `NsApi`.`oauth_stats`

Responder

Issue #	Descriptions
	(1-1218x8) Added "AvailableDID" application
	(1-1218x8) "Hangup" application select "disconnect" instead of "playback(null)" to avoid answering an un-answered call
	(1-1218x9) "Call to Notify" check account's VMail configuration before announcing VMail option
	(1-1218x9) Change application return for "AvailableDID" from "<AvailableDID>" to "AvailableDID" (i.e. removed angular brackets)

Audio Files

Audio Files	Descriptions
phrase-post-notify-options-no-vmail.wav	"Press one to retrieve the call, Press seven to drop the call"
phrase-invalid-selection.wav	"You have entered an invalid selection"

Upgrade Procedures

- System > Backup and Restore > Code Upload
 - Upload from: **nms-1-1218-f12_64.tar.gz**

- Click "Upload Code"
- System > Backup and Restore > Code Upload
 - Upload from: **Nms_UI_1-1218.tar.gz**
 - Click "Upload UI"
- System > Backup and Restore > Code Upload
 - Upload from: **ncs-1-1218-f12_64.tar.gz**
 - Click "Upload Code"
- System > Backup and Restore > Code Select
 - Click "Change"
 - Select
 - SiPbx Filename: **nms-1-1218-f12_64**
 - NCS Filename: **ncs-1-1218-f12_64**
 - UI Filename: **Nms_UI_1-1218**
 - Click "Apply"
- System > Backup and Restore > Archive Upload
 - Upload from: **Responder_1-1218.nca**
 - Click "Upload"
- System > Backup and Restore > Configuration Restore
 - Restore from: **Responder_1-1218**
 - Click "Restore"
- Untar **Audio_1-1218.tar.gz** to /usr/local/NetSapiens/SiPbx/default/audio
- Refresh browser to make system updates available in UI
- System > System Update > To 1-1218
 - If there is no confirmation message, repeat this step.
 - Note: All intervening DB updates must also be applied (e.g., To 1-1199 ... To 1-1218).
 - Note: DB error messages can safely be ignored.
 - Note: Requires tac login.
 - **Important: Apply at both sides of an HA pair.**
- Restart NMS and NCS to activate the new version